

M
M
M

M
A
T
T



G
L
O
S
S



HERMOSA

innovate · develop · accomplish

60x120cm
DIGITAL VITRIFIED TILES



HERMOSA

innovate · develop · accomplish

W
O
O
D



L
A
P
A
T
T
O



G L O S S

M A T T

W O O D

L A P A T T O

60x120cm
DIGITAL VITRIFIED TILES



HERMOSA
innovate · develop · accomplish

Art in ceramic with modern and contemporary feel in emotions is a rare blend served by a very elite few. Metro is one of them, artists by heart and vision. We at Metro believe that aesthetics in spaces make living delightful and soul satisfying. It gives us inspiration to images, create and manufacture tiles that serve the purpose of making life soulfully richer.



FEEL
TOUCH OF
NATURE

Since ages, the wise have advised us to be near nature and to conserve it. At Metro we strive to do just that. We conserve nature by manufacturing tiles that replace natural stones, taking care of mother earth. We design and deliver tiles that are natural in appearance and feel, rejuvenating every feet that touches the tiles.

G

G L O S S

60x120cm
DIGITAL VITRIFIED TILES



Tiles Shown:

TIERRA
BEIGE & BLUE

Tiles Shown:

AMICA
GRIS & NERO



60x120cm
DIGITAL VITRIFIED TILES

G L O S S

G

Tiles Shown:
FOG
CREMA & BROWN



G

G L O S S

- LIVING
- BATHROOMS
- KITCHEN
- ROOM

60x120cm
DIGITAL VITRIFIED TILES





Tiles Shown:

WHITE
ONYX

G

G L O S S

60x120cm
DIGITAL VITRIFIED TILES

- LIVING
- BATHROOMS
- KITCHEN
- ROOM



Tiles Shown:
REAL
TRAVERTINO

Tiles Shown:

CICILIA
MARBLE



- 
LIVING
- 
BATHROOMS
- 
KITCHEN
- 
ROOM

60x120cm
DIGITAL VITRIFIED TILES

G L O S S

G



Tiles Shown:

SHAPHIRE
BEIGE



G

GLOSS

-  LIVING
-  BATHROOMS
-  KITCHEN
-  ROOM

60x120cm
DIGITAL VITRIFIED TILES





Tiles Shown:


ASTRA
MUSHROOM

GLOSS


60x120cm
DIGITAL VITRIFIED TILES




NEW CARARRA




MERCURY




CLOUD



CALCUTTA STONE



WHITE ONYX



CARRARA SMOKE

GLOSS

60x120cm
DIGITAL VITRIFIED TILES



LIVING



BATHROOMS



KITCHEN



ROOM



REAL TRAVERTINO



DIANA YELLOW



CICALIA MARBLE



IRISH BEIGE

GLOSS

60x120cm
DIGITAL VITRIFIED TILES

- LIVING
- BATHROOMS
- KITCHEN
- ROOM



BOTTOCHINO



RIFT BEIGE



ASTRA MUSHROOM



SHAPHIRE BEIGE

GLOSS

60x120cm
DIGITAL VITRIFIED TILES

- LIVING
- BATHROOMS
- KITCHEN
- ROOM



BOTTOCHINO CLASSIC



ROMAN WAVE



NATURAL PEARL



NATURAL BEIGE

GLOSS

60x120cm
DIGITAL VITRIFIED TILES



LIVING



BATHROOMS



KITCHEN



ROOM



TIERRA BLUE



TIERRA BEIGE



TIERRA BROWN



AMICA GRIS



AMICA NERO

GLOSS

60x120cm
DIGITAL VITRIFIED TILES

- LIVING
- BATHROOMS
- KITCHEN
- ROOM



MARMI MARFIL



MARMI GRAPHITE



FOG BROWN



FOG CREMA

M

MATT

60x120cm
DIGITAL VITRIFIED TILES



HERMOSA
innovate · develop · accomplish




Tiles Shown:

METAL
WENGE

Tiles Shown:

NORDIK



-  LIVING
-  BATHROOMS
-  KITCHEN
-  ROOM

60x120cm
DIGITAL VITRIFIED TILES

M A T T



M

M A T T

60x120cm
DIGITAL VITRIFIED TILES



LIVING



BATHROOMS



KITCHEN



ROOM




HERMOSA
innovate · develop · accomplish



METAL BEIGE



METAL WENGE



NATIVE BIANCO



NATIVE GREY



NATIVE MOKA

M

M A T T

60x120cm
DIGITAL VITRIFIED TILES



LIVING



BATHROOMS



KITCHEN



ROOM



HERMOSA

innovate · develop · accomplish



NATIVE CREMA



NATIVE BRUNO



NATIVE SAND



NORDIK

LAPATTO

L

60x120cm
DIGITAL VITRIFIED TILES



Tiles Shown:

OPALO
CAMEL

Tiles Shown:
SEA STONE
CREMA & CAFFE



60x120cm
DIGITAL VITRIFIED TILES

L A P A T T O





LIVING



BATHROOMS



KITCHEN



ROOM



HERMOSA
innovate · develop · accomplish



OPALO BEIGE



OPALO CAMEL



OPALO BIANCO



OPALO GRIS



LIVING



BATHROOMS




KITCHEN



ROOM



HERMOSA
innovate · develop · accomplish



SEA STONE BIANCO



SEA STONE GREY



SEA STONE CREMA



SEA STONE CAFFE

60x120cm
DIGITAL VITRIFIED TILES

**PUNCH
TRAVERTINE**



Tiles Shown:

EDEN
BEIGE & BROWN

P PUNCH TRAVERTINE

60x120cm
DIGITAL VITRIFIED TILES



LIVING



BATHROOMS



KITCHEN



ROOM



EDEN BEIGE

EDEN BROWN



EDEN GREY

FEEL TRAVERTINE PUNCH EFFECT



Taking cue from travertine punch effects, coarse surface and combining it with color & textures from Italian marble surely makes for a worthy masterpiece.

W

WOOD

60x120cm
DIGITAL VITRIFIED TILES



LIVING



BATHROOMS



KITCHEN



ROOM



ROVER PINE



CHERRY WOOD



WOOD



NATURAL ASH

W

WOOD

19.5x120cm
DIGITAL VITRIFIED TILES



HERMOSA
innovate · develop · accomplish



Tiles Shown:

BARK
WOOD

W

WOOD

19.5x120cm
DIGITAL VITRIFIED TILES



LIVING



BATHROOMS



KITCHEN



ROOM



CLASSIC LEGNO **BEIGE**



CLASSIC LEGNO **BROWN**



BARK **WOOD**



FRENCH **WOOD**



COTTAGE **GRIS**



COTTAGE **RUST**



CHARACTERISTIC	STANDARD AS PER IS:13086/IN:4111 GROUP B/A	MEAN VALUE OF METRO POLISHED FLOOR	MEAN VALUE OF METRO MATT / LAMIN / WOOD CVT	STANDARD TEST METHOD
REGULATORY PROPERTIES				
Length and Width	± 0.5 %	± 0.1 %	± 0.1 %	ISO 10545-2
Thickness	± 5.0 %	± 4.0 %	± 4.0 %	ISO 10545-2
Straightness of Sides	± 0.5 %	± 0.1 %	± 0.1 %	ISO 10545-2
Rectangularity	± 0.5 %	± 0.1 %	± 0.1 %	ISO 10545-2
Surface Flatness	± 0.5 %	± 0.2 %	± 0.2 %	ISO 10545-2
Color difference	Unaltered	No change	No change	ISO 10545-16
Glossiness	As per mfg	Min 90%	Min 4%	GLOSSOMETER
STRUCTURAL PROPERTIES				
Water Absorption	± 0.50 %	± 0.20 %	± 0.20 %	ISO 10545-3
Apparent density	± 2.0 g/cc	± 2.10 g/cc	± 2.10 g/cc	DIN 51082
MASSIVE MECHANICAL PROPERTIES				
Modulus of Rupture	Min. 34 N/mm ²	Min. 40 N/mm ²	Min. 40 N/mm ²	ISO 10545-4
Breaking Strength	Min. 1300 N	Min. 2000 N	Min. 2000 N	ISO 10545-4
Impact resistance	As per mfg.	Min. 0.55	Min. 0.55	ISO 10545-5
SURFACE MECHANICAL PROPERTIES				
Surface abrasion resistance	As per mfg.	Min. Class-3	Min. Class-4	ISO 10545-7
MOH's hardness	As per mfg.	Min. 4	Min. 5	EN 101
TERMO HYGROMETRIC PROPERTIES				
Frost Resistance	No damage	No damage	No damage	ISO 10545-12
Thermal Shock Resistance	No damage	No damage	No damage	ISO 10545-9
Moisture expansion	Nil	Nil	Nil	ISO 10545-10
Thermal expansion (COE)	Max. 9.0 x 10 ⁻⁶	Max. 6.5 x 10 ⁻⁶	Max. 6.5 x 10 ⁻⁶	ISO 10545-8
Crazing resistance	As per mfg.	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-11
CHEMICAL PROPERTIES				
Chemicals resistance	No damage	No damage	No damage	ISO 10545-13
Stain resistance	Resistant	Resistant	Resistant	ISO 10545-14
SAFETY PROPERTIES				
Slip resistance	As per mfg.	>4.40	>4.40	ISO 10545-17
Stain resistance	As per mfg.	Fireproof	Fireproof	N.A.
Lead & Cadmium given off by glazed tiles	As per mfg.	Does not feed Pb & Cd	Does not feed Pb & Cd	ISO 10545-15

Packing Detail

Series	Tile Size	No. of Tiles Per Box	Coverage Area (sqmtr.)	Box Weight (Kgs. Approx.)
PGVT / GVT	60cm x 120cm	2 Pcs.	1.44 Sq. Mtr.	37
WOOD	19.5cm x 120cm	6 Pcs.	1.40 Sq. Mtr.	36.70

Application



TILES FIXING INSTRUCTIONS

- All the tiles must be checked prior to fixing for quality, batch no. and choice.
- Plaster the surface of the floor to be tiled & allow curing at least TWO weeks before tiling.
- While fixing pick tiles from various boxes alternatively, lay them in the desired patterns & make sure that they give an acceptable blend of colour and design. Please note that shade variation is inherent in manufacturing of tiles.
- For fixing tiles we recommend to use tile fixing adhesives or equivalent product for the best result.
- For fixing tiles on floor using conventional method, we suggest the following laying instruction:
 - Use cement and sand mortar in the ratio of 1:4. Add water to create a consistent paste.
 - Apply 20-25MM of bedding materials over the floor area of 1.0SQM at a time.
 - Apply a thin coat of the slurry on the back of the tile to ensure proper & full bedding. Press gently for even adherence of the tiles with surface.
Do not use any heavy materials or iron hammer to press tile.
- For fixing the tools on Dado, we recommend the use of adhesive or equivalent materials.
- Allow 3-4 days of bed curing after laying tiles & later fill the joint with grout.
- We recommend maintaining a joint gap of 1-2mm between the tiles to allow possible thermal expansion at later stage.
- Please note that company will not accept any liability in case of problem arising out of adherence of above fixing instruction.

DISCLAIMER : METRO reserves the right to delete & amend either totally or partially, any of the colours, shapes, sizes, references and other technical specifications contained in the catalogue at any time. The colours shown in this catalogue are purely illustrative and limited to printing process. Please refer actual sample before final selection. The details of colours, sizes, references should be verified for photography errors. SHADE & SIZE VARIATIONS are inherent characteristics of ceramics. NO COMPLAINT SHALL BE ENTERTAINED ON TILES ALREADY/FIXED.

NOTES:

- All technical specifications in this catalogue are for premium grade materials only.
- SHADE/ SIZE VARIATION are inherent characteristics to ceramics. Certain products purposely have variations which are part of design & process. The same have been indicated.
- It is recommend to blend tiles by mixing tiles from various boxes & check for natural hue before fixing tiles.
- Company's liability is limited on materials that has not been laid.
- The liability is also limited to the material supplied by the company; no other claim is entertained under any circumstances.
- No complaints is entertained on decoration done on tiles, other than the ones done by METRO.



Helpful tips for better aesthetic look (Laying Instruction)

- For Better aesthetic value and for guaranteed use it is mandatory to providing 3 mm spacer in between the tiles is strongly recommended. Without the spacer harmony of tiles might be disturb.
 - Make sure that the design pattern and the arrow marked on the back side of the tile must be in the same direction.
 - Any product from digitle must be installed (laid) in the same format i.e. 600x600 mm size, one cannot apply the customized size for this particular series.
- * COMPANY DOES NOT BEAR ANY LIABILITY FOR PROBLEM OUT OF NON-FULFILLMENT OF LAYING INSTRUCTION.